

Model: UH401

USB-C to HDMI Adapter





USB-C to HDMI Adapter



Gigabit

RJ45 Ethernet



5 Gbps

Transmission



Plug and Play

Universal Compatibility



Compact Size

Easy to Carry



Supports Extend and Mirror Modes

4K@60Hz | 2K@144Hz
1080P@240Hz




Slim & Compact

Easy to Carry

Size: 57.9×20×10.6mm (2.28×0.79×0.42")

Weight: 20g (0.71 oz.)



Highlights

A plug-and-play 4K HDMI USB-C dongle, ideal for business people, lecturers, and school students.



- 1× Upstream USB-C Male
- 1× HDMI 2.0, 4K 60Hz, 2K 144Hz
- Universal Compatibility

Hardware Features

Interfaces	Upstream Connection	1× USB-C Male Connector
	Video Output	1× HDMI 2.0
	Video Output Resolutions	4K (4096×2160) 60 Hz
		2K (2560×1440) 120 Hz
		1080P (1920×1080) 220 Hz
Physical	Video Output Modes	Extend, Mirror
		Android phone supports mirror mode only
	Color	Silver Gray Color
	Casing	Aluminum
		ABS
Requirements	Hardware Requirement	Requires a USB-C port that supports video output (DisplayPort Alt mode)
	Compatible OS	Windows 7 or later
		macOS 10.12 or later
		Ubuntu LTS 18.04 or later
		Android 5 or higher
		iPadOS
		iOS
	Driver Installation	Driver Free



Reliability	Environment	Operating Temperature: 0~40 °C (-32~104 °F)
		Storage Temperature: -20~70 °C (-10~158 °F)
		Operating Humidity: 20~85% RH non-condensing
		Storage Humidity: 10~90% RH non-condensing
Mechanical	Product Weight	20 g (0.71 oz.)
	Dimension	Main Part :
		57.9×20×10.6 mm
		2.28×0.79×0.42 inches
		Cable:
		150 mm
		5.91 inches